

**Department of Public Health and Social Services**  
**Division of Environmental Health**  
**Food Establishment Inspection Report**

Page 1 of 2

INSPECTION	RSN	TYPE	GRADE	INSPECTION DATE		ESTABLISHMENT NAME	
Regular			6	6 / 12 / 18		PALMS MARKET	
Follow-up	✓	✓		TIME IN	TIME OUT	PERMIT HOLDER	
Complaint			RATING	9:30AM	10:55AM	GUAM SAVECO OUTLET INCORPORATED	
Investigation			C	SANITARY PERMIT NO.		LOCATION (Address)	
Other:				170000927		WUSSTIG ROAD, YIGO GUAM	
ESTABLISHMENT TYPE				AREA	TELEPHONE	No. of Risk Factor/Intervention Violations	RISK CATEGORY
RETAIL				1	653-5916	1	2

**FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS**

Circle designated compliance (IN, OUT, N/O, N/A) for each numbered item. Mark "X" in appropriate box for COS and/or R.

IN = In compliance OUT = Not in compliance N/O = Not observed N/A = Not applicable COS = Corrected on-site during inspection R = Repeat violation PTS = Demerit points

Compliance Status				COS	R	PTS
<b>Supervision</b>						
1	IN	OUT	Person in charge present, demonstrates knowledge, and performs duties			6
<b>Employee Health</b>						
2	IN	OUT	Management awareness, policy present			6
3	IN	OUT	Proper use of reporting, restriction & exclusion			6
<b>Good Hygienic Practices</b>						
4	IN	OUT	N/A	N/O		6
5	IN	OUT	N/A	N/O		6
<b>Preventing Contamination by Hands</b>						
6	IN	OUT	N/A	N/O		6
7	IN	OUT	N/A	N/O		6
8	IN	OUT	Adequate handwashing facilities supplied & accessible		X	6
<b>Approved Source</b>						
9	IN	OUT	Food obtained from approved source			6
10	IN	OUT	N/A	N/O		6
11	IN	OUT	Food in good condition, safe, and unadulterated			6
12	IN	OUT	N/A	N/O		6
<b>Protection from Contamination</b>						
13	IN	OUT	N/A			6
14	IN	OUT	N/A			6
15	IN	OUT	Proper disposition of returned, previously served, reconditioned, and unsafe food			6
<b>Potentially Hazardous Food (TCS Food)</b>						
16	IN	OUT	N/A	N/O		6
17	IN	OUT	N/A	N/O		6
18	IN	OUT	N/A	N/O		6
19	IN	OUT	N/A	N/O		6
20	IN	OUT	N/A			6
21	IN	OUT	N/A	N/O		6
<b>Consumer Advisory</b>						
22	IN	OUT	N/A			6
<b>Highly Susceptible Populations</b>						
23	IN	OUT	N/A			6
<b>Chemical</b>						
24	IN	OUT	N/A			6
25	IN	OUT				6
<b>Conformance with Approved Procedures</b>						
26	IN	OUT	N/A			6

Risk factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health interventions are control measures to prevent foodborne illness or injury.

**GOOD RETAIL PRACTICES**

Good Retail Practices are preventative measures to control the introduction of pathogens, chemicals, and physical objects into foods.

Mark "X" in box: If numbered item is not in compliance and/or if COS and/or R. COS = Corrected on-site during inspection R = Repeat violation PTS = Demerit points

Compliance Status				COS	R	PTS
<b>Safe Food and Water</b>						
27			Pasteurized eggs used where required			1
28			Water and ice from approved source			2
29			Variance obtained for specialized processing methods			1
<b>Food Temperature Control</b>						
30			Proper cooling methods used; adequate equipment for temperature control			1
31			Plant food properly cooked for hot holding			1
32			Approved thawing methods used			1
33			Thermometer provided and accurate			1
<b>Food Identification</b>						
34			Food properly labeled; original container			1
<b>Prevention of Food Contamination</b>						
35			Insects, rodents, and animals not present			2
36			Contamination prevented during food preparation, storage & display			1
37			Personal cleanliness			1
38			Wiping cloths: properly used and stored			1
39			Washing fruits and vegetables			1
<b>Proper Use of Utensils</b>						
40			In-use utensils: properly stored			1
41			Utensils, equipment and linens: properly stored, dried, handled			1
42			Single-use/single-service articles: properly stored, used			1
43			Gloves used properly			1
<b>Utensils, Equipment and Vending</b>						
44			Food and nonfood-contact surfaces cleanable, properly designed, constructed, and used			1
45			Warewashing facilities: installed, maintained, used; test strips			1
46			Nonfood-contact surfaces clean			1
<b>Physical Facilities</b>						
47			Hot & cold water available, adequate pressure			2
48			Plumbing installed; proper backflow devices			2
49			Sewage and wastewater properly disposed			2
50			Toilet facilities: properly constructed, supplied, & cleaned			2
51			Garbage/refuse properly disposed; facilities maintained			2
52			Physical facilities installed, maintained, and clean			1
53			Adequate ventilation and lighting; designated areas use			1
<b>Documents and Placards</b>						
54			Sanitary Permit, Health Certificates valid and posted			2

I have read and understand the above violation(s), and I am aware of the corrective measures that shall be taken.

Person in Charge (Print and Sign)

DEH Inspector (Print and Sign)

Date:

Follow-up (Circle one)

YES

NO

Follow-up Date

Department of Public Health and Social Services  
Division of Environmental Health

Food Establishment Inspection Report

Page 2 of 2

ESTABLISHMENT NAME

PALMS MARKET

LOCATION (Address)

WUSSTIG ROAD, YIGO GUAM

INSPECTION DATE

6/12/18

SANITARY PERMIT NO.

170000927

PERMIT HOLDER

GUAM SAVECO OUTLET INCORPORATED

TEMPERATURE OBSERVATIONS

Item/Location	Temperature (° F)	Item/Location	Temperature (° F)

ITEM NO.

OBSERVATIONS AND CORRECTIVE ACTIONS

CORRECT  
BY DATE

Violations cited in this report must be corrected within the time frames indicated, or as stated in Sections 8-405.11 and 8-406.11 of the Guam Food Code.

A FOLLOW-UP INSPECTION WAS CONDUCTED. PREVIOUS  
INSPECTION CONDUCTED ON 5/2/18 (16, B).

THE FOLLOWING WAS OBSERVED:

THE PREVIOUS VIOLATIONS WERE CORRECTED (ITEMS # 2, 33,  
44, 46 & 52.)

THE FOLLOWING REPEAT VIOLATIONS REMAIN:

8 NO HOT WATER PROVIDED FOR HANDWASH SINK IN RESTROOM  
HOT WATER SHALL BE PROVIDED TO PROMOTE PROPER HANDWASH  
HYGIENE.

RATING IS HEREBY DOWNGRADED FROM "B" TO "C"  
DUE TO REPEAT VIOLATIONS.

"B" PLACARD # 01014 REMOVED.

"C" PLACARD # 00974 ISSUED.

LETTER OF WARNING ISSUED.

PIC BRIEFED ON THE ABOVE.

Based on the inspection today, the items listed above identify violations which shall be corrected by the date specified by the Department. Failure to comply may result in the immediate suspension of the Sanitary Permit or downgrade. If seeking to appeal the result of any notice or inspection findings, a written request for hearing must be submitted to the Director within the period of time established in the notice for corrections.

Person in Charge (Print and Sign)

Date: 6/12/18

DEH Inspector (Print and Sign)

J. GARCIA EPHO 1

T. SHIMIZU EPHO 1

Date: 6/12/18



GOVERNMENT OF GUAM  
DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES  
DIPATTAMENTON SALUT PUPBLEKO YAN SETBISION SUSIAT



EDDIE BAZA CALVO  
GOVERNOR

RAY TENORIO  
LIEUTENANT GOVERNOR

LEO G. CASIL  
ACTING DIRECTOR

Date: 6/12/18

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

PALMS MARKET

Name of Establishment

As a result of this inspection your establishment received a:

☒ LETTER OF WARNING

6/c  
(Demerit/Grade Points)

Once you have corrected all violations cited on your establishment's inspection report, you must provide us a written request for re-inspection to include a description of the corrective measures that you have implemented. If we do not receive a written re-inspection request from you, we will conduct a follow-up inspection after ten (10) calendar days from the official receipt of this notice to ensure that corrective measures have been taken.

Failure to correct violations may result in the closure of your establishment pursuant to section 21109(b) of 10GCA, Chapter 21.

☐ NOTICE OF CLOSURE

\_\_\_\_\_  
(Demerit/Grade Points)

Once you have corrected all violations cited on your establishment's inspection report, you must provide us a written request for re-inspection to include a description of the corrective measures that you have implemented. Unlike an establishment who has received a letter of warning, an establishment shall remain closed unless a written request for re-inspection is made. Under 10 GCA Ch. 21 §21109(b), suspension without prior hearing may be imposed until the violation is corrected. You may also request a hearing to the Division of Environmental Health within five (5) calendar days of the date of this notice. When a hearing is requested following a suspension without prior hearing, it shall be discretionary with the Director as to whether the suspension shall be continued pending the hearing.

We look forward to working closely with you as partners in promoting health and sanitary practices on Guam. If you need further assistance, you can reach us at 735-7221 or (fax) 734-5556. Si Yu'us Ma'ase.

Sincerely,

ACTING Director

FOR Leo G. Casil

Issued By: J. GARCIA / T. SHIMIZU  
Name of EPHO

Received By: H.C. Seo  
Establishment Representative

123 CHALAN KARETA, MANGILAO, GUAM 96913-6304  
www.dphss.guam.gov • Ph: 1.671.735.7102 • Fax: 1.671.473.5910